Application No.	Applicant(s)
10/718,739	DUARTE ET AL.
Examiner	Art Unit
VIJAY SHANKAR	2629
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.	
1. X This communication is responsive to 11-21-2003.	
2. The allowed claim(s) is/are <u>1-28</u> .	
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No.  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  (c) DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☒ Examiner's Amendr	te
	Examiner  VIJAY SHANKAR  Pars on the cover sheet with the co (OR REMAINS) CLOSED in this application is subject to and MPEP 1308.  Inder 35 U.S.C. § 119(a)-(d) or (f).  Inder appropriate communication of the communication of this communication to file a reply lient of this application.  Inder 35 U.S.C. § 119(a)-(d) or (f).  Inder application is subject to the communication of the communication of the communication of the communication to file a reply lient of this application.  Inder application is subject to the communication of the communication o

Application/Control Number: 10/718,739

Art Unit: 2629

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Webster on 04-03-06.

The application has been amended as follows:

1) In the Specification on Page 33, line 11; after "Ser. No." insert "10/718,749" and also, after "Filed" insert "11/21/2003".

## Allowable Subject Matter

- 2. Claims 1-28 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: The prior arts Griffin et al (US 2002/0149567 A1), Finke-Anlauff (6,580,932), Shkolnikov (6,947,028), Shkolnikov (7,002, 553) fail to teach an apparatus comprising the control wheel causing a graphic element on the display to move in a first direction by a first predefined amount when rotated in a first direction and causing the graphic element to move in a second direction by the first predefined amount when rotated in a first input button communicatively coupled to the

Application/Control Number: 10/718,739

Art Unit: 2629

data processing device and positioned directly adjacent to the control wheel in the first direction; and a second input button communicatively coupled to the data processing device and positioned directly adjacent to the control wheel in the second direction, wherein the first input button causes the graphic element to move in the first direction by a second predefined amount when selected and wherein the second input button causes the graphic element to move in the second direction by a second predefined amount when selected as claimed in Claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to VIJAY SHANKAR whose telephone number is (571) 272-7682. The examiner can normally be reached on M-F 7:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BIPIN SHALWALA can be reached on (571) 272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/718,739

Art Unit: 2629

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

VIJAY SHANKAR Primary Examiner Art Unit 2629